





JT 160 SW




ALTEZZA MASSIMA CON ANCORAGGI MT. 200
MT. 200 POSSIBLE MAX HEIGHT WITH ANCHORAGE FRAME


DENOMINAZIONE DENOMINATION	SCHEMA/SKETCH	A (m)	B (m)	C (m)	PESO/WEIGHT (kg)
ELEMENTO BRACCIO A T JIB ELEMENT T		11,80	2,28	1,50	4500
ELEMENTO BRACCIO BR92 JIB ELEMENT BR92		11,94	2,28	1,50	3000
ELEMENTO BRACCIO BR93 JIB ELEMENT BR93		11,94	2,28	1,50	2500
ELEMENTO BRACCIO BR94 JIB ELEMENT BR94		6,10	2,28	1,50	900
ELEMENTO BRACCIO BR95 JIB ELEMENT BR95		6,10	172	1,50	800
ELEMENTO BRACCIO BR96 JIB ELEMENT BR96		6,10	172	1,50	700
ELEMENTO BRACCIO BR97 JIB ELEMENT BR97		6,10	172	1,50	550
ELEMENTO BRACCIO BR98 JIB ELEMENT BR98		6,10	172	1,50	500
ELEMENTO BRACCIO BR99 JIB ELEMENT BR99		6,10	172	1,50	480
CONTROFRECCIA COUNTERJIB		11,60	0,40	1,60	2000
GRUPPO DI ROTAZIONE SLEWING GROUP		2,10	1,60	2,10	5500
TELAIO BASE T1 BASE ELEMENT T1		8,40	1,96	1,96	3100
ELEMENTO INTERMEDIO 1 INTERMEDIATE ELEMENT 1		4,20	1,96	1,96	1700
TELAIO INTERNO INNER ELEMENT		8,45/5,5	1,75	1,75	2280
TELAIO BASE T2 BASE ELEMENT T2		8,40	2,02	2,02	3800
TELAIO INTERMEDIO 2 INTERMEDIATE ELEMENT 2		4,20	2,02	2,02	2100
ELEMENMTO DI BASE T3 BASE ELEMENT T3		5,20	2,70	2,70	2600




(A)




(B)




(C)



(D)



(E)



(F)

ARGANI DI SOLLEVAMENTO - HOISTING WINCHES								
	Hp	m/1'	Kg	Kg	Hp	m/1'	Kg	Kg
	60	120/60	800	1600	75	120/60	1000	2000
		100/50	2400	4800		100/50	3000	6000
		48/24	6000	12000		48/24	6000	12000
		26/13	6000	12000		26/13	6000	12000
		7/3,5	6000	12000		7/3,5	6000	12000

1	—	1,96 x 1,96 mt
2	—	2,02 x 2,02 mt
3	—	2,70 x 2,70 mt


SENZA CARICO LA VELOCITÀ DI SOLLEVAMENTO AUMENTA DEL 20%

HOISTING SPEED INCREASE MORE THAN 20% WITHOUT LOAD

380/440V	ARGANO	POTENZA MAX	GRUPPO GEN.
50/60 HZ	WINCH	MAIN SUPPLY	GENER.
	60 HP	85 KVA	110 KVA
	75 HP	100 KVA	130 KVA

	5,5 KW	10/25/50 m/1'	R56
	2X65 Nm	0-0,8 rpm m/1'	ROT. F.


VERSIONE CON TORRE MONOLITICA MONOLITHIC TOWER VERSION



(L)

(M)

(N)



DIMENSIONE TORRE (mt) / MAST DIMENSION										
ALTEZZA LIBERA HEIGHT (mt)	1,96x1,96 (mt)		2,02x2,02 (mt)			2,02x2,02 (mt)		2,70x2,70 (mt)	TELAIO INTERNO 5,50	TELAIO RACCORDO
	4,20	8,40	4,20	8,40	11,20	4,20	8,40	5,20		
34,90	5	1							1	
39,10	6	1							1	
43,30	7	1							1	
47,50	6		2	1					1	
51,70	6		3	1					1	
55,90	6		4	1					1	
60,10						11	1		1	
63,50						5		7	1	1
67,70						6		7	1	1
71,90						7		7	1	1
76,10						8		7	1	1