




MK220







ALTEZZA MASSIMA CON ANCORAGGI MT. 200
MT. 200 POSSIBLE MAX HEIGHT WITH ANCHORAGE FRAME

DENOMINAZIONE DENOMINATION	SCHEMA/SKETCH	A (m)	B (m)	C (m)	PESO/WEIGHT (kg)
ELEMENTO BRACCIO BR39 JIB ELEMENT BR39		11,75	1,96	1,50	2370
ELEMENTO BRACCIO BR40 JIB ELEMENT BR40		11,75	1,96	1,50	2189
ELEMENTO BRACCIO BR41 JIB ELEMENT BR41		5,90	1,96	1,50	980
ELEMENTO BRACCIO BR42 JIB ELEMENT BR42		5,90	1,96	1,50	880
ELEMENTO BRACCIO BR43 JIB ELEMENT BR43		11,75	1,96	1,50	1800
ELEMENTO BRACCIO BR44 JIB ELEMENT BR44		5,90	1,96	1,50	760
ELEMENTO BRACCIO BR45 JIB ELEMENT BR45		5,90	1,96	1,50	560
ELEMENTO BRACCIO BR46 JIB ELEMENT BR46		5,90	1,96	1,50	480
ELEMENTO BRACCIO BR47 JIB ELEMENT BR47		5,90	1,96	1,50	340
GRUPPO ROTAZIONE SLEWING GROUP		3,90	2,90	2,30	7500
CUSPIDE SPIRE		8,60	1,60	1,60	2690
CONTROFRECCIA PARTE LUNGA COUNTERJIB LONG SIDE		11,30	0,50	1,60	2360
CONTROFRECCIA PARTE CORTA COUNTERJIB SHORT SIDE		5,35	0,50	1,60	1080
TELAIO BASE T2 BASE ELEMENT T2		8,59	2,04	2,04	3480
TELAIO INTERMEDIO INTERMEDIATE ELEMENT		4,42	2,04	2,04	2100
TELAIO INTERNO INNER ELEMENT		8,45	1,75	1,75	4240
TELAIO INTERMEDIO T3 INTERMEDIATE ELEMENT T3		5,40	2,70	2,70	2900
TELAIO BASE T3 BASE ELEMENT T3		5,40	2,70	2,70	2900



TORRI - MASTS



ARGANI DI SOLLEVAMENTO - HOISTING WINCHES

	Hp	m/1'	Kg	Kg	Hp	m/1'	Kg	Kg
	60	120/60	800	1600	75	120/60	1000	2000
		100/50	2400	6000		100/50	3000	6000
		48/24	6000	12000		48/24	6000	12000
		26/13	6000	12000		26/13	6000	12000
		7/3,5	6000	12000		7/3,5	6000	12000

SENZA CARICO LA VELOCITÀ DI SOLLEVAMENTO AUMENTA DEL 20%


HOISTING SPEED INCREASE MORE THAN 20% WITHOUT LOAD


380/440V	ARGANO	POTENZA MAX	GRUPPO GEN.
50/60 HZ	WINCH	MAIN SUPPLY	GENER.
	60 HP	85 KVA	110 KVA
	75 HP	100 KVA	130 KVA

2 — 2,02 x 2,02 mt
3 — 2,70 x 2,70 mt

	5,5 KW	10/25/50 m/1'	R56
	3x65 Nm	0-0,8 rpm m/1'	SPR

VERSIONE CON TORRE MONOLITICA
MONOLITIC TOWER
VERSION





DIMENSIONE TORRE (mt) / MAST DIMENSION					
ALTEZZA LIBERA HEIGHT (mt)	2,02 x 2,02 (mt)		2,50 x 2,50 (mt)	TELAIO INTERNO	TELAIO RACCORDO
	4,20	8,40	5,20		
34,90	5	1		1	
39,10	6	1		1	
43,30	7	1		1	
47,50	8	1		1	
51,70	9	1		1	
55,90	10	1		1	
57,30	6		5	1	1
62,50	6		6	1	1
66,70	7		6	1	1
71,90	7		7	1	1
76,10	8		7	1	1